DOCKET FILE COPY ORIGINAL **ORIGINAL**

330

Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, D.C. 20554

In the Matter of	)	
	)	
Amendment of Section 73.606(b)	)	MM Docket No.
Table of Allotments	)	RM -
Television Broadcast Stations	)	
and Amendment of Section 73.622(b)	)	
Table of Allotments	)	
Digital Television Stations	)	
(Campbellsville and	)	
Bardstown, Kentucky)	)	

RECEIVED
DEC 29 2000
FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

To: Chief, Allocations Branch
Policy & Rules Division
Mass Media Bureau

PETITION FOR RULE MAKING

Louisville Communications, LLC ("Petitioner"), licensee of UHF TV Station WBKI-TV, Channel 34, Campbellsville, Kentucky, by its counsel, hereby petitions the Commission, pursuant to Section 1.420 of the Commission's Rules, for amendment of the Commission's Tables of Television Allotments (Sections 73.606(b) and 73.622(b) of the Commission's Rules) to (1) reallot UHF TV Channel 34 from Campbellsville to Bardstown, Kentucky; (2) reallot paired DTV Channel 19 from Campbellsville to Bardstown; and (3) modify Petitioner's authorizations for Station WBKI-TV accordingly. Grant of this petition will provide Bardstown with its first local television service. In support hereof, Petitioner states as follows:

1. Under the Commission's decision in *Modification of FM and TV Authorizations to Specify a New Community of License*, 4 FCC Rcd 4870 (1989), *recon.*, 5 FCC Rcd 7094 (1990), the Commission stated that the proposal must be mutually exclusive with the current authorization and

51054.1

No. of Copies rec'd 0+4
List A B C D E
MMB

the new community must be preferred under the Commission's allocation priorities. As indicated in the attached engineering statement the proposal is mutually exclusive with the current facility. Accordingly, the Commission may reallot Channel 34 to Bardstown without granting an opportunity to other parties to file competing expressions of interest.

2. The Commission's obligation under Section 307(b) of the Communications Act of 1934, as amended, (the "Act") is to provide a "fair, efficient and equitable distribution of radio service" to the various cities and communities across the country. The priorities for distributing television stations equitably across the country are:

> (1) to provide at least one television service to all parts of the United States, (2) to provide each community with at least one television broadcast station, (3) to provide a choice of at least two television services to all parts of the United States, (4) to provide each community with at least two television broadcast stations, and (5) to assign any remaining channels to communities based on population, geographic location, and the number of television services available to the community from stations located in other communities.

Sixth Report and Order, 41 FCC 148, 167 (1952) ("Television Allocation Priority Policy").

3. Bardstown, Kentucky is an established community whose residents share common interests and identity with their community. Bardstown fully satisfies the FCC definition of "community" for allotment purposes and is deserving of a first local service. See e.g., Johnstown and Jeanette, Pa, 12 FCC Rcd 10300 (1997). Bardstown had a population of 6,801 according to the 1990 U.S. Census. Bardstown serves as the county seat for Nelson County, the fastest growing county in Kentucky. Bardstown's updated census estimate population is approximately 9,000. There is a mayor/city council form of government and a city manager. Bardstown has its own post office and zip code (40004). Bardstown operates its own police department with approximately 17 full-time officers, and a fire department, with three full-time firefighters and a number of volunteers.

Bardstown provides a number of different municipal services to its residents, including electricity, water, sewer and trash collection services. Children attend schools within the Bardstown Independent School District, which include Bardstown High School, Middle School and Elementary School, as well as an Early Childhood Education Center. In addition, several private K-12 schools are located in Bardstown. Bardstown has its own local newspaper, *The Kentucky Standard*. See Exhibit A.

4. Bardstown's distinct cultural identity is reflected in its unique and colorful history, and in its various community events, celebrations and popular attractions. Incorporated in 1788, Bardstown is Kentucky's second-oldest town. It is home to the My Old Kentucky Home State Park, the centerpiece of which is Federal Hill, the mansion that inspired Stephen Foster to write the popular ballad "My Old Kentucky Home." One of the Kentucky's most historic inns, the Old Talbott Tavern, is also located in Bardstown. The Tavern has hosted such famous visitors as King Louis Phillippe of France, Abraham Lincoln, Daniel Boone, Jesse James and James Audubon. Bardstown is also home to the Saint Joseph Proto-Cathedral, the oldest Roman Catholic cathedral west of the Allegheny Mountains. At one time, Bardstown was one of four Roman Catholic dioceses in the new world, along with New York, Boston, and Philadelphia. Also nearby is the famous Abbey of Gethsemani. Founded in the early 1800's by a group of French monks, the abbey continues to operate as a spiritual center, and also manufactures various products for sale throughout the world. In addition to its popular and religious history, Bardstown was the site of a civil war battle on October 4, 1862. See Exhibit A.

5. Bardstown also has a substantial number of attractions and events for its residents and for tourists. Once home to 22 whiskey distilleries, Bardstown is now known as the "Bourbon

Capitol of the World." It is still the location of the Jim Beam, Maker's Mark, and Heaven Hill distilleries, all of which offer tours to the public. The Oscar Getz Museum of Whiskey History, with a 50-year collection of rare whiskey artifacts dating from pre-colonial days to post-Prohibition days, is also located in Bardstown. See Exhibit A.

6. In addition to the historic sites noted above, Bardstown also is home to the Civil War Museum at Old Bardstown Village and the Women in Civil War Museum. From June to September, the town's J. Dan Talbott Amphitheater hosts "Stephen Foster: The Musical," a review of the composer's most popular works, including "Oh! Susanna" and "My Old Kentucky Home." Visitors can also enjoy lunch or dinner on the My Old Kentucky Home Dinner Train, which carries passengers on a 35-mile ride through the Kentucky Countryside in vintage 1940's dining cars. See Exhibit A.

7. During the past year, Bardstown has hosted a number of events, including the My Old Kentucky Home Festival of Quilts, the Historic Bardstown's Antique Show and Sale, a Pioneer Craft Show, an annual Bluegrass Music Festival, the Nelson County Fair, the Kentucky Bourbon Festival, the Rolling Fork Iron Horse Festival, Watson's Pumpkin Festival, the Day of the Wolf Pow Wow, the Bardstown Arts, Crafts & Antique Fair, and the Christmas Arts & Crafts & Holiday Quilt Exhibit. During the weeks before Christmas, the town will also be the location of a number of smaller, holiday-related events, collectively known as Christmas 'Round Bardstown. See Exhibit A.

8. There are approximately two dozen churches of varying denominations located in Bardstown, including the Bardstown Baptist Church, the First Baptist Church, the Church of God, the Bardstown United Methodist Church, the Calvary Assembly of God, the First Presbyterian

Church and the Jehovah's Witnesses. Community and civic organizations in Bardstown include the Lion's Club, Women's Progressive Club, Rotary International, Veterans of Foreign Wars, American Legion, Kiwanis, Jaycees of Nelson County, International Boy Scouts and Girl Scouts. See Exhibit A.

9. There are dozens of businesses located within the City of Bardstown, as illustrated in the attached business listing. The Bardstown-Nelson County Chamber of Commerce and the Bardstown Industrial Development Corporation promote business development in the community. A number of businesses identify with the City by using "Bardstown" in their name, including: A-1 Paving of Bardstown, Bardstown Barbering & Hair Styling, Bardstown Cinemas, Bardstown Distributing Co., Bardstown Footwear, Bardstown Heating and Air Conditioning, Bardstown Overhead Doors, Bardstown Upholstering, Bardstown Mills, Inc., Bardstown Precasting Co., and Bardstown Steel, Inc. Bardstown residents can obtain medical care at Flaget Memorial Hospital, or from any of a number medical doctors, both general practitioners and specialists, who practice in the community, and receive prescription drugs from pharmacy such as Walmart, Crume Drug Store, Hurst Drug Store and the New Start Health & Nutrition Store. The town also has several dentists, two chiropractors, and an animal hospital. See Exhibit A.

10. The Commission generally grants petitions for rule making to change community of license where the existing community retains local transmission service. Here, Campbellsville will retain local transmission service because Station W04BP is a Class A eligible LPTV station licensed to Campbellsville University and currently provides local service to the residents of Campbellsville. See, *In the Matter of Establishment of a Class A Television Service*, 15 FCC Rcd 6355 (2000) and Certificates of Eligibility for Class A Television Stations Status 15 FCC Rcd 9480 (2000). In its

Report and Order establishing a Class A television service, the Commission acknowledged that "LPTV stations may be the only television station in an area providing local news, weather and public affairs programming. Even in some well-served markets, LPTV stations may provide the only local service to residents of discrete geographical communities within those markets."[1] The Commission also acknowledged that the LPTV service has significantly increased the diversity of broadcast station ownership, noting that such stations are operated by community groups, colleges and religious organizations.[2] To protect this localism and diversity of ownership from displacement by other NTSC stations and DTV stations, Congress enacted the Community Broadcasters Protection Act of 1999, directing the Commission to accord Class A protection to qualifying LPTV stations. Under this new policy, LPTV stations will have the benefit and obligation of all Part 73 regulations, including public file, quarterly issues - program lists, children's programming and EAS requirements (except those regulations that cannot apply for technical reasons).[3] The Class A regulations will afford interference protection to Class A LPTV facilities. For example, "full-service analog TV stations [must] protect Class A stations by using the criteria in Section 74.705" of the LPTV rules.[4] Campbellsville University has filed its statement of eligibility to apply for Class A status and is expected to apply before the deadline for such applications. Therefore, the Commission should recognize W04BP as meeting the prerequisite of providing local television service to the

---

1. *Class A Television Service* at ¶2, citing *First Report and Order, In the Matter of Review of the Commission's Rules Governing the Low Power Television Service,* MM Docket No. 93-114, 9 FCC Rcd 2555 (1994).

2. *Class A Television Service* at ¶3.

3. *Id.* at ¶23.

4. *Id.* at ¶67.

Campbellsville community, if Petitioner's proposal is adopted and Channels 34 and 19 are deleted from Campbellsville.

11. As far as the DTV allotment proposal is concerned, there is no loss of existing digital service from Campbellsville because the facility remains unbuilt. Petitioner filed its application on November 1, 1999 (BPCDT19991101AKV) and is awaiting approval before construction can begin. The Commission has not been concerned with the removal of potential local service from a community. See e.g., Linden and White Oak, Texas et. al., DA00-2570, released November 9, 2000, citing Glencoe and Le Sueur, Minnesota, 7 FCC Rcd 7651 (1992). See also Saltville, Virginia and Jefferson, North Carolina, 10 FCC Rcd 5234 (1996), review denied, DA 00-409, released November 28, 2000.

TECHNICAL ANALYSIS

12. Petitioner is not changing its site location for its NTSC facility (BLCT20001109ABT). The attached Engineering Statement demonstrates that the WBKI-TV existing site which it intends to use for the Bardstown, Kentucky allotment on Channel 34 meets all applicable FCC spacing requirements, and will provide city grade coverage to Bardstown. As indicated earlier, the channel study demonstrates that the proposed allotment of Channel 34 to Bardstown, Kentucky is mutually exclusive to the current allotment of Channel 34 at Campbellsville, Kentucky.

13. The reallotment of Channel 34 to Bardstown will not result in any loss of existing service because the proposed allotment reference point for Bardstown is the same as the current licensed site for Campbellsville. Thus no gain/loss study is needed. The reallotment of DTV Channel 19 to Bardstown is the same site as that proposed in its pending application

(BPCDT19991101AKV). This site complies with the Commission's technical requirements if allotted to Bardstown. Since the application site is the same as the proposed allotment site for Bardstown, no gain/loss study is required. There will be a change in theoretical service from the existing allotment reference coordinates for DTV Channel 19 at Campbellsville. The Engineering Statement indicates there will be an increase in 41 dBu service to 1,454,526 persons. Although the theoretical loss area will continue to have adequate television reception service. See Engineering Statement. In addition, Campbellsville will continue to be covered by the 57 dBu principal community contour from the new Channel 19 reference site.[5] Should Channels 34 and 19 be reallotted to Bardstown, Petitioner will file an application to specify the new community of license.

5. This factor was deemed to be important in Ardmore, OK and Sherman, TX, 7 FCC Rcd 4846 (1992).

CONCLUSION

14. Accordingly, Petitioner respectfully requests that the Commission amend the Tables of Television Allotments (Sections 73.606(b) and 73.622(b)) by issuing a Notice of Proposed Rule Making to reallot Channels 34 and 19 from Campbellsville to Bardstown, Kentucky, and amend Petitioner's authorizations respectively to provide Bardstown with a first local television service.

Respectfully submitted,

Louisville Communications, LLC

By: 

Mark N. Lipp
Tamara Y. Brown
Shook, Hardy & Bacon
600 14th Street, N.W., Suite 800
Washington, D.C. 20005
(202) 783-8400

Its Counsel

December 28, 2000

CARL T. JONES
CORPORATION

STATEMENT OF JOHN E. HIDLE, P.E.
IN SUPPORT OF A PETITION
TO AMEND THE TV AND DTV
TABLES OF ALLOTMENTS
WBKI-TV, CAMPBELLSVILLE, KENTUCKY

Prepared for: Louisville Communications, LLC

I am a Consulting Engineer, an employee in the firm of Carl T. Jones Corporation, with offices located in Springfield, Virginia. My education and experience are a matter of record with the Federal Communications Commission. I am a registered Professional Engineer in the Commonwealth of Virginia, Registration No. 7418, and in the State of New York, Registration No. 63418.

GENERAL

This office has been authorized by Louisville Communications, L.L.C., licensee of full-service UHF television station WBKI-TV, Campbellsville, Kentucky, to prepare this statement in support of a Petition to Amend the Analog Television (TV) and Digital Television (DTV) Tables of Allotments, Sections 73.606(b) and 73.622(b) of the FCC Rules. Specifically, WBKI-TV proposed to change the city of license from Campbellsville, Kentucky, to Bardstown, Kentucky. This proposed change in the city of license entails absolutely no changes in the licensed NTSC technical parameters of WBKI-TV. The licensed NTSC TV facilities of WBKI-TV conform to the requirements of §73.685(a) regarding principal community coverage for both Campbellsville and Bardstown. No change in the WBKI-TV NTSC service area is herein proposed.

It is, however, proposed to modify the technical parameters, including HAAT, ERP, directional antenna pattern, and transmitter site of the WBKI digital television (DTV) facility as specified in a pending application, BPCDT-19991101AKV. The proposed relocation of the pending WBKI-DTV transmitter site allows for significant improvements in the predicted DTV signal coverage for the station. Although the DTV site specified in the pending application, co-located with the NTSC licensed site, can provide "city-grade" DTV coverage to both Campbellsville and Bardstown, the alternate site proposed herein can also provide "city-grade" DTV coverage to Campbellsville and Bardstown while providing for significant improvement in the expected DTV service.

PROPOSED ANALOG TELEVISION (NTSC) FACILITY

City of License

The community of Campbellsville, Kentucky is the city of license specified in the analog television Table of Allotments for station WBKI-TV. The petitioner requests herein to substitute the community of Bardstown, Kentucky as the city of license. No other changes are proposed, and the technical parameters of WBKI-TV, including transmitter location, will remain unchanged. An engineering study of all pertinent allotments, assignments and applications revealed that DTV Channel 19 can be allotted to Bardstown, Kentucky. The existing authorized WBKI-TV analog facility meets the allotment standards and the city-grade coverage requirements of Bardstown, Kentucky, pursuant to 47 C.F.R. §73.685.

The petitioner therefore requests that Section 73.606 of the FCC Rules be modified in the following manner:

Present:	City of License:	Channel:
	Campbellsville, KY	34

Proposed:	City of License:	Channel:
	Bardstown, KY	34

PROPOSED DIGITAL TELEVISION (DTV) FACILITY

City of License

The community of Campbellsville, Kentucky is the city of license specified in the digital television Table of Allotments for station WBKI-DTV. The petitioner requests that Section 73.622(b) of the FCC Rules be modified in the following manner:

Present:	City of License:	Channel:
	Campbellsville, KY	19

Proposed:	City of License:	Channel:
	Bardstown, KY	19

The community of Bardstown will be completely encompassed by both the 41 dBu, and 57 dBu F(50,90) coverage contours of the proposed WBKI-DTV facility (Exhibit 1). As community coverage requirements will be met in this instance, the proposed transmitter location and the proposed technical facility are acceptable pursuant to 47 C.F.R. § 73.625(a)(1). The current principal community, Campbellsville, Ky, will continue to be covered by both the 41 dB and the 57 dB F(50,90) coverage contours of the proposed WBKI-DTV facility.

Exhibit 1A shows a comparison of the 41 dB F(50,90) contours of the proposed WBKI-DTV facility and the pending application for construction permit (BPCDT-19991101AKV) at the existing NTSC site, and potential gain and loss areas with their associated population figures. The potential loss area's other services are provided as well.

Technical Parameters

The petitioner herein proposes to amend the DTV Channel 19 allotment reference coordinates and the proposed DTV channel 19 technical parameters. The amended allotment reference coordinates for DTV Channel 19 at Bardstown, Kentucky are 37° 56' 54" N.L. and 85° 14' 04" W.L. A summary of the technical data for the proposed DTV Channel 19 at Bardstown, KY, is contained below:

DTV Channel:	19
Coordinates (NAD-27):	37° 56' 54" N.L. and 85° 14' 04" W.L.
Effective Radiated Power:	1000 kW (directional)

Antenna Height Above Mean Sea Level:	575 meters
Antenna Height Above Average Terrain:	365 meters
Antenna Type:	Andrew ATW-T2

Proposed Directional Antenna

The applicant proposes to mount an Andrew ATW-T2 "trilobe pattern" type directional transmitting antenna on the proposed support structure. Attached as Exhibit 1 is a coverage map of the proposed facility, utilizing the above mentioned pattern. Exhibit 2 is a polar plot of the proposed antenna's horizontal plane radiation pattern in relative field. Exhibit 3 is a tabulation of the proposed directional antenna's horizontal plane radiation pattern at ten degree intervals in relative field, kW and dBk. A Vertical Plan Antenna Sketch is provided in Exhibit 4.

The proposed trilobe pattern is necessary for the protection of NTSC co-channels WXIX-TV, Newport, Kentucky, WAZE-TV, Madisonville, KY, and WHNT-TV, Huntsville, Alabama.

ALLOCATION CONSIDERATIONS

Studies using the FCC's "FLR" interference prediction program indicated that the proposed DTV Channel 19 allotment satisfies the technical criteria specified in Section 73.623(c)(2) with respect to all pertinent NTSC and DTV allotments and assignments. Additionally, these results were verified using the FCC's "TV_Process" program.

As illustrated in Appendix A, in no instance does the DTV proposal result in an increase in the amount of predicted interference exceeding either the 2% or 10% *de minimis* interference thresholds. Based on the FLR studies described above, it was determined that the proposed WBKI-DTV facility is predicted to cause an additional interference to the following stations:

Station	New Interference
WAZE-TV Channel 19, Madisonville, Kentucky	0.16%
WXIX-TV Channel 19, Newport, Kentucky	1.13%
WVAH-DT Channel 19, Charleston, West Virginia	0.07%
WBNA-TV Channel 21, Louisville, Kentucky	0.14%
WKPC-TV Channel 15, Louisville, Kentucky	0.28%
WLEX-TV Channel 18, Lexington, Kentucky	1.05%
WKZT-TV Channel 23, Elizabethtown, Kentucky	0.14%
WUSI-DT Channel 19, Olney, Illinois	1.28%

The additional predicted interference to be caused by the proposed facility of WBKI-DTV is less than the 2% *de minimis* interference allowed by the Rules in all instances. Furthermore, the additional interference predicted to be caused by WBKI-DTV does not increase the cumulative predicted interference level to any station above the 10% *de minimis* level allowed by FCC Rules.

SUMMARY

In light of the above, it is submitted that the proposals described herein comply with the Rules and Regulations of the Federal Communications Commission. This statement and the attached exhibits were prepared by me or under my direct supervision and are believed to be true and correct.

DATED: December 20, 2000

John E. Hidle, P.E.

EXHIBIT 1



57 dBu F(50,90) Contour

41 dBu F(50,90) Contour

WBKI-DT Proposed Digital Facility
1000 kW ERP; 365 m HAAT;
41 and 57 dBu F(50,90) Coverage Contours
Site Coor. 37 56 54.0 NL; 84 15 04.0 WL
Antenna: Andrew AT2; Trilobe Pattern at 74°
Population = 1,815,618

WBKI-DT Channel 19, Bardstown, KY
Proposed Coverage Contours
December, 2000

CARL T. JONES CORPORATION

EXHIBIT 1A



Current Service Availability.
NTSC 64 dBu F(50,50) Contours*

- WCTE-TV
- WBXX-TV
- WBKI-TV
- WKSO-TV
- WDKY-TV
- WKZT-TV
- WKNT-TV
- WBKO-TV
- WKYU-TV

*WBKO-TV Channel 13 Contour
56 dBu F(50,50) Service Contour.

WBKI-DT Proposed Digital Facility
1000 kW ERP; 365 m HAAT; Trilobe Pattern
41dBu F(50,90) Coverage Contour
Site Coor. 37 56 54.0 NL; 84 15 04.0 WL
Population = 1,815,618

WBKI-DT Application Facility
1000 kW ERP; 370 m HAAT; Cardioid Pattern
41dBu F(50,90) Coverage Contour
Site Coor. 37 31 51.0 NL; 85 26 45.0 WL
Population = 1,740,274

* Population Figures Approximate

WBKI-DT Channel 19, Bardstown, KY
Analysis of Proposed Loss Area
December, 2000

CARL T. JONES CORPORATION

EXHIBIT 2

ANDREW

Channel: 19
Type: ATW-T2
Gain: 2.18 (3.38 dB)
Polarization: Horizontal



ANDREW CORPORATION
10500 W. 153rd Street
Orland Park, Illinois U.S.A. 60462

Company: WBKI-DT
Site: Bardstown Site
Proposal Number:

Date: 12/19/00
Author: Carl T. Jones C

ANDREW

EXHIBIT 3

Angle	Amp	dB	Angle	Amp	dB	Angle	Amp	dB	Angle	Amp	dB	Angle	Amp	dB
0	0.352	-9.07	72	0.995	-0.04	144	0.311	-10.14	216	0.770	-2.27	288	0.695	-3.16
1	0.341	-9.34	73	0.998	-0.02	145	0.321	-9.87	217	0.751	-2.49	289	0.714	-2.93
2	0.331	-9.60	74	1.000	0.00	146	0.331	-9.60	218	0.733	-2.70	290	0.733	-2.70
3	0.321	-9.87	75	0.998	-0.02	147	0.341	-9.34	219	0.714	-2.93	291	0.751	-2.49
4	0.311	-10.14	76	0.995	-0.04	148	0.352	-9.07	220	0.695	-3.16	292	0.770	-2.27
5	0.305	-10.31	77	0.993	-0.06	149	0.364	-8.78	221	0.676	-3.40	293	0.788	-2.07
6	0.299	-10.49	78	0.990	-0.09	150	0.376	-8.50	222	0.656	-3.66	294	0.807	-1.86
7	0.293	-10.66	79	0.984	-0.14	151	0.390	-8.18	223	0.637	-3.92	295	0.823	-1.69
8	0.287	-10.84	80	0.979	-0.18	152	0.405	-7.85	224	0.617	-4.19	296	0.839	-1.52
9	0.283	-10.96	81	0.971	-0.26	153	0.420	-7.54	225	0.598	-4.47	297	0.855	-1.36
10	0.279	-11.09	82	0.964	-0.32	154	0.434	-7.25	226	0.579	-4.75	298	0.871	-1.20
11	0.278	-11.12	83	0.956	-0.39	155	0.451	-6.92	227	0.560	-5.04	299	0.885	-1.06
12	0.276	-11.18	84	0.948	-0.46	156	0.469	-6.58	228	0.540	-5.35	300	0.899	-0.92
13	0.274	-11.24	85	0.936	-0.57	157	0.487	-6.25	229	0.522	-5.65	301	0.912	-0.80
14	0.272	-11.31	86	0.924	-0.69	158	0.504	-5.95	230	0.504	-5.95	302	0.924	-0.69
15	0.274	-11.24	87	0.912	-0.80	159	0.522	-5.65	231	0.487	-6.25	303	0.936	-0.57
16	0.276	-11.18	88	0.899	-0.92	160	0.540	-5.35	232	0.469	-6.58	304	0.948	-0.46
17	0.278	-11.12	89	0.885	-1.06	161	0.559	-5.05	233	0.451	-6.92	305	0.956	-0.39
18	0.279	-11.09	90	0.871	-1.20	162	0.579	-4.75	234	0.434	-7.25	306	0.964	-0.32
19	0.283	-10.96	91	0.855	-1.36	163	0.598	-4.47	235	0.419	-7.56	307	0.972	-0.25
20	0.287	-10.84	92	0.839	-1.52	164	0.617	-4.19	236	0.405	-7.85	308	0.979	-0.18
21	0.293	-10.66	93	0.823	-1.69	165	0.637	-3.92	237	0.390	-8.18	309	0.984	-0.14
22	0.299	-10.49	94	0.807	-1.86	166	0.656	-3.66	238	0.376	-8.50	310	0.990	-0.09
23	0.305	-10.31	95	0.789	-2.06	167	0.676	-3.40	239	0.364	-8.78	311	0.992	-0.07
24	0.311	-10.14	96	0.770	-2.27	168	0.695	-3.16	240	0.352	-9.07	312	0.995	-0.04
25	0.321	-9.87	97	0.752	-2.48	169	0.714	-2.93	241	0.342	-9.32	313	0.998	-0.02
26	0.331	-9.60	98	0.733	-2.70	170	0.733	-2.70	242	0.331	-9.60	314	1.000	0.00
27	0.342	-9.32	99	0.714	-2.93	171	0.752	-2.48	243	0.321	-9.87	315	0.997	-0.03
28	0.352	-9.07	100	0.695	-3.16	172	0.770	-2.27	244	0.311	-10.14	316	0.995	-0.04
29	0.364	-8.78	101	0.675	-3.41	173	0.789	-2.06	245	0.305	-10.31	317	0.992	-0.07
30	0.376	-8.50	102	0.656	-3.66	174	0.807	-1.86	246	0.299	-10.49	318	0.990	-0.09
31	0.390	-8.18	103	0.637	-3.92	175	0.823	-1.69	247	0.293	-10.66	319	0.985	-0.13
32	0.405	-7.85	104	0.617	-4.19	176	0.839	-1.52	248	0.287	-10.84	320	0.979	-0.18
33	0.420	-7.54	105	0.598	-4.47	177	0.855	-1.36	249	0.283	-10.96	321	0.971	-0.26
34	0.434	-7.25	106	0.579	-4.75	178	0.871	-1.20	250	0.279	-11.09	322	0.964	-0.32
35	0.452	-6.90	107	0.560	-5.04	179	0.885	-1.06	251	0.277	-11.15	323	0.956	-0.39
36	0.469	-6.58	108	0.540	-5.35	180	0.899	-0.92	252	0.276	-11.18	324	0.948	-0.46
37	0.486	-6.27	109	0.522	-5.65	181	0.911	-0.81	253	0.274	-11.24	325	0.936	-0.57
38	0.504	-5.95	110	0.504	-5.95	182	0.924	-0.69	254	0.272	-11.31	326	0.924	-0.69
39	0.522	-5.65	111	0.486	-6.27	183	0.936	-0.57	255	0.274	-11.24	327	0.911	-0.81
40	0.540	-5.35	112	0.469	-6.58	184	0.948	-0.46	256	0.276	-11.18	328	0.899	-0.92
41	0.560	-5.04	113	0.452	-6.90	185	0.956	-0.39	257	0.278	-11.12	329	0.885	-1.06
42	0.579	-4.75	114	0.434	-7.25	186	0.964	-0.32	258	0.279	-11.09	330	0.871	-1.20
43	0.598	-4.47	115	0.419	-7.56	187	0.971	-0.26	259	0.283	-10.96	331	0.855	-1.36
44	0.617	-4.19	116	0.405	-7.85	188	0.979	-0.18	260	0.287	-10.84	332	0.839	-1.52
45	0.636	-3.93	117	0.390	-8.18	189	0.984	-0.14	261	0.293	-10.66	333	0.823	-1.69
46	0.656	-3.66	118	0.376	-8.50	190	0.990	-0.09	262	0.299	-10.49	334	0.807	-1.86
47	0.676	-3.40	119	0.364	-8.78	191	0.993	-0.06	263	0.305	-10.31	335	0.788	-2.07
48	0.695	-3.16	120	0.352	-9.07	192	0.995	-0.04	264	0.311	-10.14	336	0.770	-2.27
49	0.714	-2.93	121	0.342	-9.32	193	0.998	-0.02	265	0.321	-9.87	337	0.752	-2.48
50	0.733	-2.70	122	0.331	-9.60	194	1.000	0.00	266	0.331	-9.60	338	0.733	-2.70
51	0.751	-2.49	123	0.321	-9.87	195	0.997	-0.03	267	0.341	-9.34	339	0.714	-2.93
52	0.770	-2.27	124	0.311	-10.14	196	0.995	-0.04	268	0.352	-9.07	340	0.695	-3.16
53	0.788	-2.07	125	0.305	-10.31	197	0.992	-0.07	269	0.364	-8.78	341	0.675	-3.41
54	0.807	-1.86	126	0.299	-10.49	198	0.990	-0.09	270	0.376	-8.50	342	0.656	-3.66
55	0.823	-1.69	127	0.293	-10.66	199	0.984	-0.14	271	0.391	-8.16	343	0.636	-3.93
56	0.839	-1.52	128	0.287	-10.84	200	0.979	-0.18	272	0.405	-7.85	344	0.617	-4.19
57	0.855	-1.36	129	0.283	-10.96	201	0.972	-0.25	273	0.419	-7.56	345	0.598	-4.47
58	0.871	-1.20	130	0.279	-11.09	202	0.964	-0.32	274	0.434	-7.25	346	0.579	-4.75
59	0.885	-1.06	131	0.278	-11.12	203	0.956	-0.39	275	0.452	-6.90	347	0.559	-5.05
60	0.899	-0.92	132	0.276	-11.18	204	0.948	-0.46	276	0.469	-6.58	348	0.540	-5.35
61	0.911	-0.81	133	0.274	-11.24	205	0.936	-0.57	277	0.487	-6.25	349	0.522	-5.65
62	0.924	-0.69	134	0.272	-11.31	206	0.924	-0.69	278	0.504	-5.95	350	0.504	-5.95
63	0.936	-0.57	135	0.274	-11.24	207	0.911	-0.81	279	0.522	-5.65	351	0.487	-6.25
64	0.948	-0.46	136	0.276	-11.18	208	0.899	-0.92	280	0.540	-5.35	352	0.469	-6.58
65	0.956	-0.39	137	0.278	-11.12	209	0.885	-1.06	281	0.560	-5.04	353	0.452	-6.90
66	0.964	-0.32	138	0.279	-11.09	210	0.871	-1.20	282	0.579	-4.75	354	0.434	-7.25
67	0.971	-0.26	139	0.283	-10.96	211	0.855	-1.36	283	0.598	-4.47	355	0.419	-7.56
68	0.979	-0.18	140	0.287	-10.84	212	0.839	-1.52	284	0.617	-4.19	356	0.405	-7.85
69	0.985	-0.13	141	0.293	-10.66	213	0.823	-1.69	285	0.636	-3.93	357	0.390	-8.18
70	0.990	-0.09	142	0.299	-10.49	214	0.807	-1.86	286	0.656	-3.66	358	0.376	-8.50
71	0.993	-0.06	143	0.305	-10.31	215	0.788	-2.07	287	0.676	-3.40	359	0.364	-8.78

ANDREW CORPORATION
10500 W. 153rd Street
Orland Park, Illinois U.S.A. 60462

Company: WBKI-DT
Site: Bardstown Site
Proposal Number:

Date: 12/19/00
Author: Carl T. Jones C

EXHIBIT 4

COORDINATES NAD-27
NORTH LATITUDE: 37° 56' 54"
WEST LONGITUDE: 85° 14' 04"

RADIATION CENTERLINE HEIGHT IN METERS

AMSL	HAAT	AGL
575	365	331

EXPANDED VIEW



GROUND ELEVATION = 244 meters A.M.S.L. / AVERAGE TERRAIN = 210 meters A.M.S.L.

VERTICAL PLAN ANTENNA SKETCH

WBKI-DT - CAMPBELLSVILLE, KENTUCKY
Ch. 19 - 1000 kW ERP
NOVEMBER, 2000

CARL T. JONES
CORPORATION

NOTE : NOT DRAWN TO SCALE

APPENDIX A

Carl T. Jones Corporation
Interference Study

All Stations "Appendix B" Baseline

Run begins Tue Nov 7 14:03:55 20	00, host UI	tra5	Before	After	Delta
Analysis of: 34N KY CAMPBELLSVILL	E				
	POPULATION	AREA (sq km)		Over	
within Noise Limited Contour	271192	14288.4			
not affected by terrain losses	248278	13340.7	248278	248278	0
lost to NTSC IX	0	0			
lost to additional IX by ATV	15367	435.9	15367	23827	-8460
lost to all IX	15367	435.9		Us %	-3.12
Analysis of: 19A KY CAMPBELLSVILL	E				
HAAT 314.0 m, ATV ERP 50.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	271192	14288.4			
not affected by terrain losses	269626	14172.5	267687	267581	-106
lost to NTSC IX	1918	128			
lost to additional IX by ATV	21	8			
lost to ATV IX only	21	8			
lost to all IX	1939	136		Us %	-0.04
percent match ATV/NTSC	100	100			
Analysis of: 19N KY MADISONVILLE					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	552761	14476.1			
not affected by terrain losses	551541	14306.6	548864	548864	0
lost to NTSC IX	2677	145.3			
lost to additional IX by ATV	26017	395.5	26017	17829	8188
lost to all IX	28694	540.8		Us %	1.48
Analysis of: 20A KY MADISONVILLE					
HAAT 241.0 m, ATV ERP 81.1	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	552761	14476.1			
not affected by terrain losses	552643	14455.9	551902	555031	3129
lost to NTSC IX	240	20.2			
lost to additional IX by ATV	501	28.2			
lost to ATV IX only	548	36.3			
lost to all IX	741	48.4		Us %	0.57
percent match ATV/NTSC	100	100			
Analysis of: 19N KY NEWPORT					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	2622923	20779			
not affected by terrain losses	2596731	20488.3	2340230	2340230	0
lost to NTSC IX	256501	859.9			
lost to additional IX by ATV	10412	242.2	10412	48737	-38325
lost to all IX	266913	1102.1		Us %	-1.46
Analysis of: 29A KY NEWPORT					
HAAT 306.0 m, ATV ERP 258.7	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	2622923	20779			
not affected by terrain losses	2619096	20702.3	2237330	2200199	-37131
lost to NTSC IX	34018	64.6			
lost to additional IX by ATV	347748	658			
lost to ATV IX only	379969	678.2			
lost to all IX	381766	722.6		Us %	-1.59
percent match ATV/NTSC	95.1	98.5			
Analysis of: 11N WV CHARLESTON					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	892405	24422			
not affected by terrain losses	819581	22220.8	784530	784530	0
lost to NTSC IX	35051	1645.8			
lost to additional IX by ATV	107	16.1	107	107	0
lost to all IX	35158	1661.9		Us %	0.00
Analysis of: 19A WV CHARLESTON					
HAAT 525.0 m, ATV ERP 71.4	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	892405	24422			
not affected by terrain losses	869150	23741.9	861265	878860	17595
lost to NTSC IX	7885	285.7			
lost to additional IX by ATV	0	0			
lost to ATV IX only	0	0			

WBKI-DT Baseline; Others CP/APP or 200 kW Minimum Baseline

Run begins Wed Nov 8 12:26:04 20	00, host UI	tra5	Before	After	Delta
Analysis of: 34N KY CAMPBELLSVILL	E				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	271192	14288.4			
not affected by terrain losses	248278	13340.7	248278	248278	0
lost to NTSC IX	0	0			
lost to additional IX by ATV	23827	859.8	23827	23827	0
lost to all IX	23827	859.8		Us %	0.00
Analysis of: 19A KY CAMPBELLSVILL	E				
HAAT 314.0 m, ATV ERP 50.0	kW				
	POPULATION	AREA (sq km)		Over	
within Noise Limited Contour	271192	14288.4			
not affected by terrain losses	269626	14172.5	267581	131032	-136549
lost to NTSC IX	1918	128			
lost to additional IX by ATV	127	12			
lost to ATV IX only	657	24			
lost to all IX	2045	140		Us %	-51.03
percent match ATV/NTSC	100	100			
Analysis of: 19N KY MADISONVILLE					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	552761	14476.1			
not affected by terrain losses	551541	14306.6	548864	548864	0
lost to NTSC IX	2677	145.3			
lost to additional IX by ATV	17829	464.1	17829	18707	-878
lost to all IX	20506	609.4		Us %	-0.16
Analysis of: 20A KY MADISONVILLE					
HAAT 216.0 m, ATV ERP 1000.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	555031	14484.1			
not affected by terrain losses	555031	14484.1	555031	555031	0
lost to NTSC IX	0	4			
lost to additional IX by ATV	0	0			
lost to ATV IX only	0	0			
lost to all IX	0	4		Us %	0.00
percent match ATV/NTSC	100	99.9			
Analysis of: 19N KY NEWPORT					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	2622923	20779			
not affected by terrain losses	2596731	20488.3	2340230	2340230	0
lost to NTSC IX	256501	859.9			
lost to additional IX by ATV	48737	1013.3	48737	78493	-29756
lost to all IX	305238	1873.2		Us %	-1.13
Analysis of: 29A KY NEWPORT					
HAAT 306.0 m, ATV ERP 258.7	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	2622923	20779			
not affected by terrain losses	2619096	20702.3	2200199	2200199	0
lost to NTSC IX	34018	64.6			
lost to additional IX by ATV	384879	900.3			
lost to ATV IX only	417100	920.5			
lost to all IX	418897	964.9		Us %	0.00
percent match ATV/NTSC	93.5	97.3			
Analysis of: 11N WV CHARLESTON					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	892405	24422			
not affected by terrain losses	819581	22220.8	784530	784530	0
lost to NTSC IX	35051	1645.8			
lost to additional IX by ATV	107	16.1	107	107	0
lost to all IX	35158	1661.9		Us %	0.00
Analysis of: 19A WV CHARLESTON					
HAAT 519.0 m, ATV ERP 460.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	892405	24422			
not affected by terrain losses	886128	24176.5	878860	878222	-638
lost to NTSC IX	7268	112.7			
lost to additional IX by ATV	0	0			
lost to ATV IX only	0	0			

WBKI-DT 1000 kW ERP; 365 m HAAT; Trilobe Antenna, New Site
Others CP/APP or 200 kW Minimum Baseline

Run begins Mon Nov 13 09:13:51 20	00, host UI	tra5			
Analysis of: 34N KY CAMPBELLSVILL	E				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	271192	14288.4			
not affected by terrain losses	248278	13340.7			
lost to NTSC IX	0	0	-3.12		
lost to additional IX by ATV	23827	859.8	Total %		
lost to all IX	23827	859.8			
Analysis of: 19A KY CAMPBELLSVILL	E				
HAAT 365.0 m, ATV ERP 1000.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	131032	4666.8			
not affected by terrain losses	131032	4666.8			
lost to NTSC IX	0	0	Over		
lost to additional IX by ATV	0	0	-51.07		
lost to ATV IX only	0	0	Total %		
lost to all IX	0	0			
percent match ATV/NTSC	21.3	23.8			
Analysis of: 19N KY MADISONVILLE					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	552761	14476.1			
not affected by terrain losses	551541	14306.6			
lost to NTSC IX	2677	145.3	-1.32		
lost to additional IX by ATV	18707	544.8	Total %		
lost to all IX	21384	690.1			
Analysis of: 20A KY MADISONVILLE					
HAAT 216.0 m, ATV ERP 1000.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	555031	14484.1			
not affected by terrain losses	555031	14484.1			
lost to NTSC IX	0	4			
lost to additional IX by ATV	0	0	0.57		
lost to ATV IX only	0	0	Total %		
lost to all IX	0	4			
percent match ATV/NTSC	100	99.9			
Analysis of: 19N KY NEWPORT					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	2622923	20779			
not affected by terrain losses	2596731	20488.3			
lost to NTSC IX	256501	859.9	-2.60		
lost to additional IX by ATV	78493	2967.3	Total %		
lost to all IX	334994	3827.2			
Analysis of: 29A KY NEWPORT					
HAAT 306.0 m, ATV ERP 258.7	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	2622923	20779			
not affected by terrain losses	2619096	20702.3			
lost to NTSC IX	34018	64.6			
lost to additional IX by ATV	384879	900.3	-1.59		
lost to ATV IX only	417100	920.5	Total %		
lost to all IX	418897	964.9			
percent match ATV/NTSC	93.5	97.3			
Analysis of: 11N WV CHARLESTON					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	892405	24422			
not affected by terrain losses	819581	22220.8			
lost to NTSC IX	35051	1645.8	-0.00		
lost to additional IX by ATV	107	16.1	Total %		
lost to all IX	35158	1661.9			
Analysis of: 19A WV CHARLESTON					
HAAT 519.0 m, ATV ERP 460.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	892405	24422			
not affected by terrain losses	886128	24176.5			
lost to NTSC IX	7268	112.7			
lost to additional IX by ATV	638	8	1.07		
lost to ATV IX only	903	28.2	Total %		

lost to all IX	7885	285.7		Us	%	2.04	lost to all IX	7268	112.7		Us	%	-0.07	lost to all IX	7906	120.7				
percent match ATV/NTSC	100	100					percent match ATV/NTSC	100	100					percent match ATV/NTSC	100	100				
Analysis of: 19N TN KINGSPORT							Analysis of: 19N TN KINGSPORT							Analysis of: 19N TN KINGSPORT						
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	930341	26427.2					within Noise Limited Contour	930341	26427.2					within Noise Limited Contour	930341	26427.2				
not affected by terrain losses	713803	18685.3	709202	709202	0		not affected by terrain losses	713803	18685.3	709202	709202	0		not affected by terrain losses	713803	18685.3				
lost to NTSC IX	4601	161.3					lost to NTSC IX	4601	161.3					lost to NTSC IX	4601	161.3	-0.44			
lost to additional IX by ATV	5620	241.9	5620	9729	-4109		lost to additional IX by ATV	9729	431.4	9729	9695	34		lost to additional IX by ATV	9695	431.4	Total	%		
lost to all IX	10221	403.2		Us	%	-0.44	lost to all IX	14330	592.7		Us	%	0.00	lost to all IX	14296	592.7				
Analysis of: 27A TN KINGSPORT							Analysis of: 27A TN KINGSPORT							Analysis of: 27A TN KINGSPORT						
HAAT 707.0 m, ATV ERP 54.3	kW						HAAT 707.0 m, ATV ERP 200.0	kW						HAAT 707.0 m, ATV ERP 200.0	kW					
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	930341	26427.2					within Noise Limited Contour	930341	26427.2					within Noise Limited Contour	930341	26427.2				
not affected by terrain losses	751408	20253.9	714562	756330	41768		not affected by terrain losses	786636	21572.4	756330	756330	0		not affected by terrain losses	786636	21572.4				
lost to NTSC IX	12594	637.1					lost to NTSC IX	11324	604.8					lost to NTSC IX	11324	604.8				
lost to additional IX by ATV	24252	709.7					lost to additional IX by ATV	18982	629					lost to additional IX by ATV	18982	629	-5.85			
lost to ATV IX only	29304	967.7					lost to ATV IX only	24037	923.4					lost to ATV IX only	24037	923.4	Total	%		
lost to all IX	36846	1346.8		Us	%	5.85	lost to all IX	30306	1233.9		Us	%	0.00	lost to all IX	30306	1233.9				
percent match ATV/NTSC	97.5	97.1					percent match ATV/NTSC	98	98					percent match ATV/NTSC	98	98				
Analysis of: 22N TN COOKEVILLE							Analysis of: 22N TN COOKEVILLE							Analysis of: 22N TN COOKEVILLE						
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	392070	22436					within Noise Limited Contour	392070	22436					within Noise Limited Contour	392070	22436				
not affected by terrain losses	349295	19904	347130	347130	0		not affected by terrain losses	349295	19904	347130	347130	0		not affected by terrain losses	349295	19904				
lost to NTSC IX	2165	216					lost to NTSC IX	2165	216					lost to NTSC IX	2165	216	-1.70			
lost to additional IX by ATV	10054	492	10054	16716	-6662		lost to additional IX by ATV	16716	920	16716	16716	0		lost to additional IX by ATV	16716	920	Total	%		
lost to all IX	12219	708		Us	%	-1.70	lost to all IX	18881	1136		Us	%	0.00	lost to all IX	18881	1136				
Analysis of: 52A TN COOKEVILLE							Analysis of: 52A TN COOKEVILLE							Analysis of: 52A TN COOKEVILLE						
HAAT 425.0 m, ATV ERP 73.5	kW						HAAT 425.0 m, ATV ERP 200.0	kW						HAAT 425.0 m, ATV ERP 200.0	kW					
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	392070	22436					within Noise Limited Contour	392070	22436					within Noise Limited Contour	392070	22436				
not affected by terrain losses	354526	20204	337955	347159	9204		not affected by terrain losses	363525	20712	347159	347159	0		not affected by terrain losses	363525	20712				
lost to NTSC IX	2068	164					lost to NTSC IX	893	84					lost to NTSC IX	893	84				
lost to additional IX by ATV	14503	324					lost to additional IX by ATV	15473	284					lost to additional IX by ATV	15473	284	-2.65			
lost to ATV IX only	14955	348					lost to ATV IX only	15477	292					lost to ATV IX only	15477	292	Total	%		
lost to all IX	16571	488		Us	%	2.65	lost to all IX	16366	368		Us	%	0.00	lost to all IX	16366	368				
percent match ATV/NTSC	96.5	98.7					percent match ATV/NTSC	97.6	99.1					percent match ATV/NTSC	97.6	99.1				
Analysis of: 21N KY LOUISVILLE							Analysis of: 21N KY LOUISVILLE							Analysis of: 21N KY LOUISVILLE						
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	1147670	12948.3					within Noise Limited Contour	1147670	12948.3					within Noise Limited Contour	1147670	12948.3				
not affected by terrain losses	1143173	12616.5	1114211	1114211	0		not affected by terrain losses	1143173	12616.5	1114211	1114211	0		not affected by terrain losses	1143173	12616.5				
lost to NTSC IX	28962	723.6					lost to NTSC IX	28962	723.6					lost to NTSC IX	28962	723.6	-0.64			
lost to additional IX by ATV	8457	547.7	8457	13735	-5278		lost to additional IX by ATV	13735	867.5	13735	15391	-1656		lost to additional IX by ATV	15391	1047.4	Total	%		
lost to all IX	37419	1271.2		Us	%	-0.46	lost to all IX	42697	1591.1		Us	%	-0.14	lost to all IX	44353	1770.9				
Analysis of: 8A KY LOUISVILLE							Analysis of: 8A KY LOUISVILLE							Analysis of: 8A KY LOUISVILLE						
HAAT 212.0 m, ATV ERP 3.2	kW						HAAT 212.0 m, ATV ERP 3.2	kW						HAAT 212.0 m, ATV ERP 3.2	kW					
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	1147670	12948.3					within Noise Limited Contour	1147670	12948.3					within Noise Limited Contour	1147670	12948.3				
not affected by terrain losses	1145505	12776.4	1141196	1141196	0		not affected by terrain losses	1145505	12776.4	1141196	1141196	0		not affected by terrain losses	1145505	12776.4				
lost to NTSC IX	4309	327.8					lost to NTSC IX	4309	327.8					lost to NTSC IX	4309	327.8				
lost to additional IX by ATV	0	0					lost to additional IX by ATV	0	0					lost to additional IX by ATV	0	0	0.00			
lost to ATV IX only	0	0					lost to ATV IX only	0	0					lost to ATV IX only	0	0	Total	%		
lost to all IX	4309	327.8		Us	%	0.00	lost to all IX	4309	327.8		Us	%	0.00	lost to all IX	4309	327.8				
percent match ATV/NTSC	99.7	98.4					percent match ATV/NTSC	99.7	98.4					percent match ATV/NTSC	99.7	98.4				
Analysis of: 15N KY LOUISVILLE							Analysis of: 15N KY LOUISVILLE							Analysis of: 15N KY LOUISVILLE						
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	1190245	13984.7					within Noise Limited Contour	1190245	13984.7					within Noise Limited Contour	1190245	13984.7				
not affected by terrain losses	1183842	13629.7	1176661	1176661	0		not affected by terrain losses	1183842	13629.7	1176661	1176661	0		not affected by terrain losses	1183842	13629.7				
lost to NTSC IX	7181	326.7					lost to NTSC IX	7181	326.7					lost to NTSC IX	7181	326.7	-0.81			
lost to additional IX by ATV	3937	189.6	3937	11135	-7198		lost to additional IX by ATV	11135	564.7	11135	14494	-3359		lost to additional IX by ATV	14494	661.5	Total	%		
lost to all IX	11118	516.3		Us	%	-0.80	lost to all IX	18316	891.4		Us	%	-0.28	lost to all IX	21675	988.2				
Analysis of: 17A KY LOUISVILLE							Analysis of: 17A KY LOUISVILLE							Analysis of: 17A KY LOUISVILLE						
HAAT 262.0 m, ATV ERP 50.0	kW						HAAT 262.0 m, ATV ERP 200.0	kW						HAAT 262.0 m, ATV ERP 200.0	kW					
	POPULATION	AREA (sq km)						POPULATION	AREA (sq km)						POPULATION	AREA (sq km)				
within Noise Limited Contour	1190245	13984.7					within Noise Limited Contour	1190245	13984.7					within Noise Limited Contour	1190245	13984.7				
not affected by terrain losses	1187367	13895.9	1186480	1187652	1172		not affected by terrain losses	1189928	13964.5	1187652	1187652	0		not affected by terrain losses	1189928	13964.5				
lost to NTSC IX	856	40.3					lost to NTSC IX	48	4					lost to NTSC IX	48	4				
lost to additional IX by ATV	31	8.1					lost to additional IX by ATV	2228	16.1					lost to additional IX by ATV	2228	16.1	0.10			
lost to ATV IX only	31	8.1					lost to ATV IX only	2276	20.2					lost to ATV IX only	2276	20.2	Total	%		
lost to all IX	887	48.4		Us	%	0.10	lost to all IX	2276	20.2		Us	%	0.00	lost to all IX	2276	20.2				

percent match ATV/NTSC	100	100			
Analysis of: 11N KY LOUISVILLE					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	1496313	28210.2			
not affected by terrain losses	1468897	26636.7	1462320	1462320	0
lost to NTSC IX	6577	500.3			
lost to additional IX by ATV	114	8.1	114	114	0
lost to all IX	6691	508.4		Us %	0.00
Analysis of: 55A KY LOUISVILLE					
HAAT 390.0 m, ATV ERP 447.7	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	1496313	28210.2			
not affected by terrain losses	1482932	27709.9	1478980	1478980	0
lost to NTSC IX	1435	100.9			
lost to additional IX by ATV	2517	157.4			
lost to ATV IX only	2930	177.5			
lost to all IX	3952	258.2		Us %	0.00
percent match ATV/NTSC	99.9	99.6			
Analysis of: 18N KY LEXINGTON					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	626803	13123.3			
not affected by terrain losses	624950	12935.3	622427	622427	0
lost to NTSC IX	2523	152			
lost to additional IX by ATV	1216	120	1216	2155	-939
lost to all IX	3739	272		Us %	-0.15
Analysis of: 22A KY LEXINGTON					
HAAT 195.0 m, ATV ERP 50.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	626803	13123.3			
not affected by terrain losses	626495	13055.3	623899	626051	2152
lost to NTSC IX	2582	192			
lost to additional IX by ATV	14	4			
lost to ATV IX only	58	8			
lost to all IX	2596	196		Us %	0.34
percent match ATV/NTSC	99.9	99.5			
Analysis of: 23N KY ELIZABETHTOWN					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	755185	12241.2			
not affected by terrain losses	702373	11911.5	409487	409487	0
lost to NTSC IX	292886	916.9			
lost to additional IX by ATV	4717	181	4717	19141	-14424
lost to all IX	297603	1097.8		Us %	-1.91
Analysis of: 43A KY ELIZABETHTOWN					
HAAT 198.0 m, ATV ERP 50.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	755185	12241.2			
not affected by terrain losses	741774	12132.6	733582	744230	10648
lost to NTSC IX	8192	40.2			
lost to additional IX by ATV	0	4			
lost to ATV IX only	0	8			
lost to all IX	8192	44.2		Us %	1.45
percent match ATV/NTSC	100	100			
Analysis of: 24N KY BOWLING GREEN					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	243726	10569.3			
not affected by terrain losses	241497	10465.2	235279	235279	0
lost to NTSC IX	6218	528.7			
lost to additional IX by ATV	3792	280.4	3792	5078	-1286
lost to all IX	10010	809		Us %	-0.53
Analysis of: 18A KY BOWLING GREEN					
HAAT 198.0 m, ATV ERP 50.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	243726	10569.3			
not affected by terrain losses	243703	10565.3	243689	243689	0
lost to NTSC IX	14	4			
lost to additional IX by ATV	0	0			
lost to ATV IX only	0	0			
lost to all IX	14	4		Us %	0.00
percent match ATV/NTSC	100	100			

percent match ATV/NTSC	100	100			
Analysis of: 11N KY LOUISVILLE					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	1496313	28210.2			
not affected by terrain losses	1468897	26636.7	1462320	1462320	0
lost to NTSC IX	6577	500.3			
lost to additional IX by ATV	114	8.1	114	114	0
lost to all IX	6691	508.4		Us %	0.00
Analysis of: 55A KY LOUISVILLE					
HAAT 390.0 m, ATV ERP 447.7	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	1496313	28210.2			
not affected by terrain losses	1482932	27709.9	1478980	1478980	0
lost to NTSC IX	1435	100.9			
lost to additional IX by ATV	2517	157.4			
lost to ATV IX only	2930	177.5			
lost to all IX	3952	258.2		Us %	0.00
percent match ATV/NTSC	99.9	99.6			
Analysis of: 18N KY LEXINGTON					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	626803	13123.3			
not affected by terrain losses	624950	12935.3	622427	622427	0
lost to NTSC IX	2523	152			
lost to additional IX by ATV	2155	252	2155	8734	-6579
lost to all IX	4678	404		Us %	-1.05
Analysis of: 22A KY LEXINGTON					
HAAT 195.0 m, ATV ERP 200.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	626803	13123.3			
not affected by terrain losses	626633	13091.3	626051	626051	0
lost to NTSC IX	543	60			
lost to additional IX by ATV	39	4			
lost to ATV IX only	60	8			
lost to all IX	582	64		Us %	0.00
percent match ATV/NTSC	100	99.9			
Analysis of: 23N KY ELIZABETHTOWN					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	755185	12241.2			
not affected by terrain losses	702373	11911.5	409487	409487	0
lost to NTSC IX	292886	916.9			
lost to additional IX by ATV	19141	655.5	19141	20175	-1034
lost to all IX	312027	1572.4		Us %	-0.14
Analysis of: 43A KY ELIZABETHTOWN					
HAAT 198.0 m, ATV ERP 200.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	755185	12241.2			
not affected by terrain losses	755069	12213.1	744230	744230	0
lost to NTSC IX	10839	12.1			
lost to additional IX by ATV	0	0			
lost to ATV IX only	10797	4			
lost to all IX	10839	12.1		Us %	0.00
percent match ATV/NTSC	100	100			
Analysis of: 24N KY BOWLING GREEN					
	POPULATION	AREA (sq km)			
within Noise Limited Contour	243726	10569.3			
not affected by terrain losses	241497	10465.2	235279	235279	0
lost to NTSC IX	6218	528.7			
lost to additional IX by ATV	5078	328.4	5078	5078	0
lost to all IX	11296	857.1		Us %	0.00
Analysis of: 18A KY BOWLING GREEN					
HAAT 176.0 m, ATV ERP 50.0	kW				
	POPULATION	AREA (sq km)			
within Noise Limited Contour	243726	10569.3			
not affected by terrain losses	243703	10565.3	243689	243689	0
lost to NTSC IX	14	4			
lost to additional IX by ATV	0	0			
lost to ATV IX only	0	0			
lost to all IX	14	4		Us %	0.00
percent match ATV/NTSC	100	100			

percent match ATV/NTSC	100	100	
Analysis of: 11N KY LOUISVILLE			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1496313	28210.2	
not affected by terrain losses	1468897	26636.7	
lost to NTSC IX	6577	500.3	[redacted]
lost to additional IX by ATV	114	8.1	Total %
lost to all IX	6691	508.4	[redacted]
Analysis of: 55A KY LOUISVILLE			
HAAT 390.0 m, ATV ERP 447.7	kW		
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1496313	28210.2	
not affected by terrain losses	1482932	27709.9	
lost to NTSC IX	1435	100.9	
lost to additional IX by ATV	2517	157.4	0.00
lost to ATV IX only	2930	177.5	Total %
lost to all IX	3952	258.2	[redacted]
percent match ATV/NTSC	99.9	99.6	
Analysis of: 18N KY LEXINGTON			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	626803	13123.3	
not affected by terrain losses	624950	12935.3	
lost to NTSC IX	2523	152	[redacted]
lost to additional IX by ATV	8734	648	Total %
lost to all IX	11257	800	[redacted]
Analysis of: 22A KY LEXINGTON			
HAAT 195.0 m, ATV ERP 200.0	kW		
	POPULATION	AREA (sq km)	
within Noise Limited Contour	626803	13123.3	
not affected by terrain losses	626633	13091.3	
lost to NTSC IX	543	60	
lost to additional IX by ATV	39	4	[redacted]
lost to ATV IX only	60	8	Total %
lost to all IX	582	64	[redacted]
percent match ATV/NTSC	100	99.9	
Analysis of: 23N KY ELIZABETHTOWN			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	755185	12241.2	
not affected by terrain losses	702373	11911.5	
lost to NTSC IX	292886	916.9	[redacted]
lost to additional IX by ATV	20175	675.6	Total %
lost to all IX	313061	1592.5	[redacted]
Analysis of: 43A KY ELIZABETHTOWN			
HAAT 198.0 m, ATV ERP 200.0	kW		
	POPULATION	AREA (sq km)	
within Noise Limited Contour	755185	12241.2	
not affected by terrain losses	755069	12213.1	
lost to NTSC IX	10839	12.1	
lost to additional IX by ATV	0	0	[redacted]
lost to ATV IX only	10797	4	Total %
lost to all IX	10839	12.1	[redacted]
percent match ATV/NTSC	100	100	
Analysis of: 24N KY BOWLING GREEN			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	243726	10569.3	
not affected by terrain losses	241497	10465.2	
lost to NTSC IX	6218	528.7	[redacted]
lost to additional IX by ATV	5078	328.4	Total %
lost to all IX	11296	857.1	[redacted]
Analysis of: 18A KY BOWLING GREEN			
HAAT 176.0 m, ATV ERP 50.0	kW		
	POPULATION	AREA (sq km)	
within Noise Limited Contour	243726	10569.3	
not affected by terrain losses	243703	10565.3	
lost to NTSC IX	14	4	
lost to additional IX by ATV	0	0	0.00
lost to ATV IX only	0	0	Total %
lost to all IX	14	4	[redacted]
percent match ATV/NTSC	100	100	

Analysis of: 16N IL OLNEY

	POPULATION	AREA (sq km)		Over	
within Noise Limited Contour	259006	16489.4			
not affected by terrain losses	258951	16485.4	257527	257527	0
lost to NTSC IX	1424	80.1			
lost to additional IX by ATV	2714	20	2714	13704	-10990
lost to all IX	4138	100.2		Us %	-4.24

Analysis of: 19A IL OLNEY
HAAT 283.0 m, ATV ERP 50.0 kW

	POPULATION	AREA (sq km)			
within Noise Limited Contour	259006	16489.4			
not affected by terrain losses	259006	16489.4	257974	257525	-449
lost to NTSC IX	1032	196.3			
lost to additional IX by ATV	0	0			
lost to ATV IX only	0	0			
lost to all IX	1032	196.3		Us %	-0.17
percent match ATV/NTSC	99.6	98.9			

Analysis of: 19N AL HUNTSVILLE

	POPULATION	AREA (sq km)			
within Noise Limited Contour	935592	26493.4			
not affected by terrain losses	882813	24486.4	857179	857179	0
lost to NTSC IX	25634	997.5			
lost to additional IX by ATV	6420	237.3	6420	9626	-3206
lost to all IX	32054	1234.8		Us %	-0.34

Analysis of: 59A AL HUNTSVILLE
HAAT 533.0 m, ATV ERP 89.0 kW

	POPULATION	AREA (sq km)			
within Noise Limited Contour	935592	26493.4			
not affected by terrain losses	889547	24663.4	879172	896410	17238
lost to NTSC IX	9952	225.2			
lost to additional IX by ATV	423	16.1			
lost to ATV IX only	991	28.2			
lost to all IX	10375	241.3		Us %	1.96
percent match ATV/NTSC	99.7	99.6			

Finished Tue Nov 7 14:22:11; run time 0: 16:55
473579 calls to Longley-Rice; path dista nce increment

Analysis of: 16N IL OLNEY

	POPULATION	AREA (sq km)			
within Noise Limited Contour	259006	16489.4			
not affected by terrain losses	258951	16485.4	257527	257527	0
lost to NTSC IX	1424	80.1			
lost to additional IX by ATV	13704	348.5	13704	13704	0
lost to all IX	15128	428.7		Us %	0.00

Analysis of: 19A IL OLNEY
HAAT 262.0 m, ATV ERP 57.8 kW

	POPULATION	AREA (sq km)			
within Noise Limited Contour	258950	16485.4			
not affected by terrain losses	258950	16485.4	257525	254223	-3302
lost to NTSC IX	1350	248.4			
lost to additional IX by ATV	75	4			
lost to ATV IX only	98	8			
lost to all IX	1425	252.4		Us %	-1.28
percent match ATV/NTSC	99.5	98.6			

Analysis of: 19N AL HUNTSVILLE

	POPULATION	AREA (sq km)			
within Noise Limited Contour	935592	26493.4			
not affected by terrain losses	882813	24486.4	857179	857179	0
lost to NTSC IX	25634	997.5			
lost to additional IX by ATV	9626	426.3	9626	9763	-137
lost to all IX	35260	1423.8		Us %	-0.01

Analysis of: 59A AL HUNTSVILLE
HAAT 533.0 m, ATV ERP 200.0 kW

	POPULATION	AREA (sq km)			
within Noise Limited Contour	935592	26493.4			
not affected by terrain losses	900643	25077.7	896410	896410	0
lost to NTSC IX	3701	132.7			
lost to additional IX by ATV	532	20.1			
lost to ATV IX only	788	32.2			
lost to all IX	4233	152.8		Us %	0.00
percent match ATV/NTSC	99.9	99.8			

Finished Wed Nov 8 12:44:24; run time 0: 16:56
476052 calls to Longley-Rice; path dista nce increment

Analysis of: 16N IL OLNEY

	POPULATION	AREA (sq km)	
within Noise Limited Contour	259006	16489.4	
not affected by terrain losses	258951	16485.4	
lost to NTSC IX	1424	80.1	-4.24
lost to additional IX by ATV	13704	348.5	Total %
lost to all IX	15128	428.7	

Analysis of: 19A IL OLNEY
HAAT 262.0 m, ATV ERP 57.8 kW

	POPULATION	AREA (sq km)	
within Noise Limited Contour	258950	16485.4	
not affected by terrain losses	258950	16485.4	
lost to NTSC IX	1350	248.4	
lost to additional IX by ATV	3377	12	-1.28
lost to ATV IX only	3421	20	Total %
lost to all IX	4727	260.4	
percent match ATV/NTSC	98.2	98.5	

Analysis of: 19N AL HUNTSVILLE

	POPULATION	AREA (sq km)
within Noise Limited Contour	935592	26493.4
not affected by terrain losses	882813	24486.4
lost to NTSC IX	25634	997.5
lost to additional IX by ATV	9763	430.4
lost to all IX	35397	1427.8

Analysis of: 59A AL HUNTSVILLE
HAAT 533.0 m, ATV ERP 200.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	935592	26493.4
not affected by terrain losses	900643	25077.7
lost to NTSC IX	3701	132.7
lost to additional IX by ATV	532	20.1
lost to ATV IX only	788	32.2
lost to all IX	4233	152.8
percent match ATV/NTSC	99.9	99.8

Finished Mon Nov 13 09:31:58; run time 0: 16:45
466876 calls to Longley-Rice; path dista nce increment